


Size:

600×600mm

The pattern of this surface creates a symmetry that complements the ambiance and make them extraordinary.





SUPERIOR FEATURES OF DIGITAL FULLBODY TILES

The SyncStone Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.



SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.



EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning only.



HIGH STRENGTH

The fullbody composition boasts high strength and resistance ideal for high traffic also.



ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



LOW WATER ABSORPTION

Exceptionally nonporous surface and revolutionary digital print make surface low water absorbing. Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

APLLICATION AREA



KITCHEN

LIVING ROOM



CORPORATE OFFICES

HOTEL & RESTOURANTS





BATHROOM


PUBLIC PLACE






Size : **600x600mm**

Finish: Glossy

















WATER RESISTANT





IMPACT RESISTANCE














Size : **600x600mm**

Finish: Glossy





EASY DIMENSIONAL TENANCE STABILITY



HIGH STRENGTH



WATER RESISTANT







FIR



FIRE RESISTANT







Size: 600x600mm







EASY





HIGH STRENGTH



WATER RESISTANT









FIRE




HYGIENIC SURFACE







Size : **600x600mm**









DIMENSIONAL STABILITY






WATER RESISTANT








HYGIENIC SURFACE







Size : **600x600mm**









DIMENSIONAL STABILITY





WATER RESISTANT



CHEMICAL RESISTANT



















Size : **600x600mm**









DIMENSIONAL STABILITY





WATER RESISTANT




CHEMICAL RESISTANT







HYGIENIC SURFACE





Size: **600x600mm**













WATER RESISTANT




CHEMICAL RESISTANT







HYGIENIC SURFACE










Size : **600x600mm**









DIMENSIONAL STABILITY













HYGIENIC SURFACE





Size : **600x600mm**







EASY DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT



CHEMICAL RESISTANT





FIRE











Size: 600x600mm

Finish: Glossy







EASY AINTENANCE



I STF



HIGH STRENGTH



WATER RESISTANT





IMPACT RESISTANCE






FIRE



HYGIENIC SURFACE








Size : **600x600mm**

Finish: Glossy















WATER RESISTANT
















Size : **600x600mm**













HIGH STRENGTH



WATER RESISTANT










HYGIENIC SURFACE







Size: 600x600mm

Finish: Glossy

FEATURES







HIGH STRENGTH



WATER RESISTANT



CHEMICAL RESISTANT


IMPACT RESISTANCE



FIRE RESISTANT



HYGIENIC SURFACE








Size : **600x600mm**

Finish: Glossy











HIGH STRENGTH



WATER RESISTANT






















Size : **600x600mm**

Finish: Glossy

FEATURES



CHEMICAL RESISTANT





IMPACT RESISTANCE





























Size: 600x600mm

Finish: Glossy





CHEMICAL RESISTANT











WATER RESISTANT










FIRE RESISTANT










Size : **600x600mm**

Finish: Glossy





EASY AINTENANCE




























Size : **600x600mm**









DIMENSIONAL STABILITY




















Size : **600x600mm**

Finish: Glossy







DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT






CHEMICAL RESISTANT


















Size : **600x600mm**

Finish: Glossy







EASY



DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT



CHEMICAL RESISTANT





FIRE





HYGIENIC SURFACE





Size: 600x600mm

















WATER RESISTANT












HYGIENIC SURFACE










Size : **600x600mm**

Finish: Glossy







DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT










HYGIENIC SURFACE



Size : **600x600mm**







DIMENSIONAL STABILITY




















HYGIENIC SURFACE








Size: 600x600mm

Finish: Glossy







DIMENSIONAL STABILITY



HIGH STRENGTH








CHEMICAL RESISTANT





HYGIENIC SURFACE








Size : **600x600mm**

Finish: Glossy





EASY AINTENANCE









WATER RESISTANT










FIRE RESISTANT












Size : **600x600mm**















WATER RESISTANT










HYGIENIC SURFACE



Size : **600x600mm**













































Size : **600x600mm**









DIMENSIONAL STABILITY

























Size : **600x600mm**



















WATER RESISTANT














HYGIENIC SURFACE





Size : **600x600mm**
















WATER RESISTANT







HYGIENIC SURFACE





Size : **600x600mm**

Finish: Glossy

FEATURES



DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT



CHEMICAL RESISTANT








HYGIENIC SURFACE












Size : **600x600mm**

Finish: Glossy





DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT


















Size : **600x600mm**

Finish: Glossy







HIGH STRENGTH






















Size : **600x600mm**







DIMENSIONAL STABILITY







WATER RESISTANT























Size : **600x600mm**

Finish: Glossy





FEATURES



EASY D



ONAL LITY



WATER RESISTANT







HIGH STRENGTH










Size : **600x600mm**

Finish: Glossy















WATER RESISTANT












HYGIENIC SURFACE





Size : **600x600mm**

Finish: Glossy











WATER RESISTANT

















Size : **600x600mm**

Finish: Glossy



FEATURES



























HYGIENIC SURFACE







Size : **600x600mm**

Finish: Glossy


































Size : **600x600mm**







DIMENSIONAL STABILITY





HIGH STRENGTH
























Size : **600x600mm**

Finish: Glossy







EASY DIMENSIONAL STABILITY



HIGH STRENGTH



RE

WATER RESISTANT



CHEMICAL RESISTANT





FIRE



HYGIENIC SURFACE











Size : **600x600mm**

Finish: Glossy











HIGH STRENGTH



WATER RESISTANT

DIMENSIONAL STABILITY











HYGIENIC SURFACE





Size : **600x600mm**







EASY DIMENSIONAL NTENANCE STABILITY



HIGH STRENGTH



















HYGIENIC SURFACE










Size : **600x600mm**









DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT










HYGIENIC SURFACE





Size : **600x600mm**









DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT












HYGIENIC SURFACE








Size : **600x600mm**

Finish: Glossy







DIMENSIONAL STABILITY







WATER RESISTANT










FIRE RESISTANT




HYGIENIC SURFACE





Size : **600x600mm**

Finish: Glossy



FEATURES



CHEMICAL RESISTANT









WATER RESISTANT



IMPACT RESISTANCE

HIGH STRENGTH

















3D-86

Size : **600x600mm**

Finish: Glossy









DIMENSIONAL STABILITY

IMPACT RESISTANCE





WATER RESISTANT










HYGIENIC SURFACE






3D-88

Size : **600x600mm**

Finish: Glossy






























3D-89

Size : **600x600mm**









DIMENSIONAL STABILITY





WATER RESISTANT




CHEMICAL RESISTANT







HYGIENIC SURFACE







3D-ENDLESS-EYES

Size: 600x600mm

Finish: Glossy





FEATURES













WATER RESISTANT











FIRE RESISTANT













3D-GOLD-HEXA

Size : **600x600mm**

Finish: Glossy



























3D-STEREO-ARENA

Size: 600x600mm

Finish: Glossy


































BLUE BALLS

Size : **600x600mm**

Finish: Glossy











HIGH STRENG



HIGH RENGTH





CHEMICAL RESISTANT







FIRE RESISTANT




HYGIENIC SURFACE



CRYSTA WHITE

Size : **600x600mm**































DIMENSION **SQUARE**

Size: **600x600mm**

Finish: Glossy













7. - X


















HYGIENIC SURFACE





EVITA FLOS

Size: **600x600mm**

Finish: Glossy









DIMENSIONAL STABILITY

IMPACT RESISTANCE









WATER RESISTANT









HYGIENIC SURFACE








FLORA BLUE

Size : **600x600mm**











HIGH STRENGTI



WATER RESISTANT









FIRE RESISTANT



HYGIENIC SURFACE





FLORA WHITE

Size: **600x600mm**

Finish: Glossy









DIMENSIONAL STABILITY






















GREY FLOS

Size: 600x600mm















HIGH TRENGTH



WATER RESISTAN













NIT










INFINITY WHITE

Size: 600x600mm











DIMENSIONAL


















HYGIENIC SURFACE








IRISH WHITE

Size: 600x600mm













WATER RESISTANT











HYGIENIC SURFACE






KRYSTALO BLUE

Size: 600x600mm

Finish: Glossy

















WATER RESISTANT

















KRYSTALO GREY

Size: 600x600mm

Finish: Glossy


































MOOD WHITE

Size: **600x600mm**















CHEMICAL RESISTANT














MOON BLACK

Size : **600x600mm**









DIMENSIONAL STABILITY



















HYGIENIC SURFACE





MOON BROWN

Size: **600x600mm**
































MOON LIGHT

Size : **600x600mm**











DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN














RE



HYGIENIC SURFACE








NATURAL FLOWER

Size : **600x600mm**







































PEARL WHITENEW

Size: 600x600mm

Finish: Glossy





EASY



DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN











FIRE RESISTANT








SEA STONE

Size: 600x600mm













WATER RESISTANT




















SIRA WHITE

Size: 600x600mm


































SPINO PEARL

Size: 600x600mm













WATER RESISTANT












HYGIENIC SURFACE







STEEL WATER

Size: 600x600mm



























UNIKA FLORE

Size : **600x600mm**


































WATTER DROPS BLUE

Size: 600x600mm

Finish: Glossy































HYGIENIC SURFACE








WHITE STONE

Size : **600x600mm**

Finish: Glossy



























HYGIENIC SURFACE



TECHNOLOGY & AFFILIATIONS







/XX MODENA



OUR CERTIFICATE











TILES INSTALLATION



Special Laying Instruction:

Tiles Spacers

We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

Features and Benefits:

- Spacers accommodate the movements due to thermal variations and different loads
- When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti fungal and anti bacterial
- With spacers, we can create uniform designs and pattern
- Improved aesthetics and dimensional stability to the entire tile/ stone assembly
- It ensures longer life span of tile installation

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTI	ES		
1) Flexural Modulus Of Rupture	Min. 35N/mm²	Min. 40N/mm²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTI	ES		
1) Deep Abrasion Resistance	Max. 175mm³	Max. 132mm³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERT	ΓIES		
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x106	Max 6.5x10 -	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

PACKING DETAIL

Size	600x600mm	
Thickness (approx.)	8 mm	
Pieces / Box	4 pcs.	
Area / Box	1.44 sq.mtr.	
Wt./Box (approx.)	26-27 Kgs.	