





Size:

#### 600×600mm



Welcome to the mesmerizing world of Marvel Tiles,where imagination comes to life in every dimension, transporting you to extraordinary realms of wonder and adventure





LVARIAN

# SUPERIOR FEATURES OF DIGITAL FULLBODY TILES

The SyncStone Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.



SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.



EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning



HIGH STRENGTH

The fullbody composition boasts high strength and resistance ideal for high traffic also.



ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



LOW WATER ABSORPTION

Exceptionally nonporous surface and revolutionary digital print make surface low water absorbing. Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

#### **APLLICATION AREA**



**KITCHEN** 

LIVING ROOM



**CORPORATE OFFICES** 

**HOTEL & RESTOURANTS** 





**BATHROOM** 

**PUBLIC PLACE** 





### MARVEL ARMANI CHOCO

Size: 600x600mm

Finish: Glossy

































#### MARVEL ARMANI CHOCO LIGHT

Size: 600x600mm

Finish: Glossy



**FEATURES** 



DIMENSIONAL
























## MARVEL ARMANI GREY

Size: 600x600mm

Finish: Glossy



Random: 03



**FEATURES** 

DIMENSIONAL





















#### MARVEL ARMANI LIGHT GREY

Size: 600x600mm

Finish: Glossy



**FEATURES** 

























#### MARVEL BIANCO CARRARA

Size: 600x600mm

Finish : Glossy







EASY



DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT



CHEMICAL RESISTANT





FIRE











## MARVEL BRECCIA GREY

Size: 600x600mm

Finish: Glossy























#### MARVEL CALCATA SATURIO

Size: 600x600mm

Finish: Glossy



Random: 06







DIMENSIONAL





















#### MARVEL CARRARA

Size: 600x600mm

Finish: Glossy































## MARVEL CLASSIC SATURIO

Size: 600x600mm

Finish: Glossy







DIMENSIONAL















IMPACT















#### **MARVEL DYNA**

Size: 600x600mm

Finish: Glossy






























### MARVEL ELISEO WHITE

Size: 600x600mm

Finish : Glossy
































## MARVEL ELITE SATURIO

Size : **600x600mm** 

Finish : Glossy



**FEATURES** 



EASY



DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN



CHEMICAL




IMPACT RESISTANCE



FIRE RESISTANT







## MARVEL IMPIRIAL CREMA

Size: 600x600mm

Finish : Glossy



































### **MARVEL KARNIS GREY**

Size: 600x600mm

Finish: Glossy







EASY MAINTENANCE



IMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN



CHEMICAL RESISTANT



CT\_\_\_\_



FIRE RESISTANT










#### MARVEL KARNIS LIGHT GREY

Size: 600x600mm

Finish: Glossy



**FEATURES** 



DIMENSIONAL





WATER RESISTANT




















#### MARVEL KEROS SATURO

Size: 600x600mm

Finish: Glossy



**FEATURES** 





DIMENSIONAL






















#### **MARVEL MARFIL**

Size: 600x600mm

Finish: Glossy











WATER RESISTANT



CHEMICAL RESISTANT





















## MARVEL MARFIL CREMA

Size: 600x600mm

Finish: Glossy



Random: 07

**FEATURES** 





















## MARVEL MARMI CARRARA

Size: 600x600mm

Finish : Glossy




























Random: 05










#### MARVEL ONYX WHITE

Size: 600x600mm

Finish : Glossy

























## MARVEL RIGATO WHITE

Size: 600x600mm

Finish: Glossy











DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTAN











HYGIENI SURFAC








### MARVEL ROMAN GREY

Size: 600x600mm

Finish: Glossy



**FEATURES** 



EASY DIMENSIONAL STABILITY



HIGH STRENGTH







CHEMICAL RESISTANT







FIRE RESISTANT










#### MARVEL ROMAN LIGHT GREY

Size: **600x600mm** 

Finish: Glossy



Random: 03

**FEATURES** 




























### MARVEL SAFARI GREY

Size: 600x600mm

Finish : Glossy



**FEATURES** 





DIMENSIONAL



















#### MARVEL SAFARI LIGHT GREY


Size: 600x600mm

Finish: Glossy



FEATURES







HIGH STRENGTH




























## MARVEL VENTO SATURIO

Size: 600x600mm

Finish: Glossy



**FEATURES** 















#### TECHNOLOGY & AFFILIATIONS







/XX MODENA



#### OUR CERTIFICATE











#### **TILES INSTALLATION**



#### **Special Laying Instruction:**

#### **Tiles Spacers**

We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

#### Features and Benefits:

- Spacers accommodate the movements due to thermal variations and different loads
- When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti fungal and anti bacterial
- With spacers, we can create uniform designs and pattern
- Improved aesthetics and dimensional stability to the entire tile/ stone assembly
- It ensures longer life span of tile installation

#### **TECHNICAL SPECIFICATION**

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTI	ES		
1) Flexural Modulus Of Rupture	Min. 35N/mm²	Min. 40N/mm²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTI	ES		
1) Deep Abrasion Resistance	Max. 175mm³	Max. 132mm³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERT	ΓIES		
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x106	Max 6.5x10 -	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

#### PACKING DETAIL

Size	600x600mm	
Thickness (approx.)	8 mm	
Pieces / Box	4 pcs.	
Area / Box	1.44 sq.mtr.	
Wt./Box (approx.)	26-27 Kgs.	