





PRODUCT FORMATS



- When unique textures, designs, feel, colors come together to replicate nature; it's non other, but Capron 600x600mm Venice collection.
- Carving emulates the look of design that had been hand-crafted, It brings an interesting design dimension and identity to your space.

Inspired From

The beauty and in natural stone around the world.



FEATURES



EASY MAINTENANCE



DIMENSIONAL STABILITY



HIGH STRENGTH



WATER RESISTANT



CHEMICAL RESISTANT



IMPACT RESISTANCE




FIRE RESISTANT



HYGIENIC SURFACE



An unlimited choice of solutions that help you create unique spaces.





APPLICATION









RESIDENTIAL

SHOPS

MALLS

PUBLIC SPACES



RESTAURANT





HOSPITALITY



AIRPORTS

These are the most common application used for your place.

SUPERIOR FEATURES OF DIGITAL FULLBODY TILES

The SyncStone Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.




SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.




EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning only.



HIGH STRENGTH

The fullbody composition boasts high strength and resistance ideal for high traffic also.



ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



LOW WATER ABSORPTION

Exceptionally nonporous surface and revolutionary digital print make surface low water absorbing. Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

APLLICATION AREA



KITCHEN

LIVING ROOM



CORPORATE OFFICES

HOTEL & RESTOURANTS





BATHROOM

PUBLIC PLACE








We leave no chance to amaze you with our highly crafted pieces of gems.





ASCONA BEIGE

Size : **600x600mm** Finish : **Carving**



FEATURES





























ASCONA BLACK

Size : **600x600mm** Finish: Carving





































ASCONA BROWN

Size : **600x600mm** Finish : Carving



■ FEATURES











STRENGTH






















ASCONA DARK GREY

Size : **600x600mm** Finish : Carving



■ FEATURES









STRENGTH



RESISTANT
















ASCONA IVORY

Size: 600x600mm Finish: Carving
































ASCONA LIGHT GREY

Size : **600x600mm** Finish : Carving



■ FEATURES









STRENGTH



RESISTANT


















The Storyboard Design Course

ISSIYAMAKI 12-1

When it is about quality, we don't leave even a little scope for the word – compromise.





ETHOS BEIGE

Size: 600x600mm Finish: Carving



■ FEATURES









STRENGTH




















ETHOS GREY

Size : **600x600mm** Finish : Carving



■ FEATURES









STRENGTH



















ETHOS WHITE

Size : **600x600mm** Finish: Carving




































HORTA BLACK

Size : **600x600mm** Finish : Carving



■ FEATURES









STRENGTH



















HORTA GREY

Size : **600x600mm** Finish: Carving







































HORTA IVORY

Size: 600x600mm Finish: Carving





































MORENO BROWN

Size : **600x600mm** Finish : Carving



FEATURES









STRENGTH



RESISTANT





















MORENO WHITE

Size : **600x600mm** Finish: Carving





































NAXOS BEIGE

Size : **600x600mm** Finish: Carving



■ FEATURES









STRENGTH























NAXOS BLACK

Size : **600x600mm** Finish : Carving



■ FEATURES









STRENGTH






















NAXOS GREY

Size : **600x600mm** Finish : Carving



■ FEATURES











STRENGTH





















NAXOS WHITE

Size : **600x600mm** Finish : Carving









HIGH STRENGTH


























NOCE ASPER BROWN

Size: 600x600mm

Finish: Carving Random: 5



FEATURES









STRENGTH









RESISTANT












NOCE BEIGE

Size : **600x600mm** Finish: Carving

































NOCE GRANITE GREY

Size : **600x600mm**

Finish : **Carving** Random: 5



■ FEATURES






























NOCE MULTI

Size: 600x600mm Finish: Carving



FEATURES





STABILITY





STRENGTH





RESISTANT







RESISTANCE











We make commitment to fetch the goodness out of your space to show it to the world.






NOCE STATURIO

Size : **600x600mm**

Finish: Carving Random: 5
































NOCE WHITE

Size : **600x600mm** Finish: Carving






























We give our best to deliver the world class visual treatment to make your look the world class.





ROSETA WHITE

Size : **600x600mm** Finish: Carving


































We don't miss a single chance to make you feel comfortable with our quality products.





STERIO BROWN

Size : **600x600mm** Finish : Carving



■ FEATURES




















RESISTANT








ZEST BROWN

Size: 600x600mm Finish: Carving































Every design has a different texture telling a very different story than other ones





ZEST GREY

Size : **600x600mm** Finish : Carving



■ FEATURES





















TECHNOLOGY & AFFILIATIONS







/XX MODENA



OUR CERTIFICATE











TILES INSTALLATION



Special Laying Instruction:

Tiles Spacers

We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

Features and Benefits:

- Spacers accommodate the movements due to thermal variations and different loads
- When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti fungal and anti bacterial
- With spacers, we can create uniform designs and pattern
- Improved aesthetics and dimensional stability to the entire tile/ stone assembly
- It ensures longer life span of tile installation

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTI	ES		
1) Flexural Modulus Of Rupture	Min. 35N/mm²	Min. 40N/mm²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTI	ES		
1) Deep Abrasion Resistance	Max. 175mm³	Max. 132mm³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERT	ΓIES		
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x106	Max 6.5x10 -	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

PACKING DETAIL

Size	600x600mm	
Thickness (approx.)	8 mm	
Pieces / Box	4 pcs.	
Area / Box	1.44 sq.mtr.	
Wt./Box (approx.)	26-27 Kgs.	